





Fire fighting fitting

Gost & Rotta Coupling

The Gost and Rotta coupling is a Russian coupling which is used mainly in Russia, Cuba, Lithuania, Estonia and neighboring countries. System Gost 28352-89, 2 lugs / System Rotta, 3 lugs. Both systems are symmetrical couplings. Type Gost is widely used in the fire equipment and also used by off-shore drilling platforms worldwide for delivery and suction operation and type Rotta mainly on ships for delivery operation.

Typ Gost i Rotta to standard rosyjski używany głównie w Rosji ale również na Kuba, Litwa, Estonia oraz w sąsiadujących państwach. System Gost posiada 2 zaczepy, system Rotta posiada 3 zaczepy. System Gost używany jest w głównie dla sprzętu przeciwpożarowego lub na platformach wiertniczych, Rotta w większości używana jest na statkach.

Material / Materiał

Brass or aluminium / Mosiądz lub aluminium

Lug Distance(A) / Rozstaw między zaczepami(A)

DN50 = 78

DN70 = 95

DN80 = 107

DN100 = 140



Gost Couplings

Gost hose coupling / Łącznik ssawny Gost 28352-89									
				AL 			BR 		
BOD Name	Size	ΦA	ΦB	BOD Code	Weight KG	Price	BOD Code	Weight KG	Price
GOC50	DN50	78	52	GOC50052AL	0.280	6,56 €	GOC50052BR	0.88	
GOC70	DN70	95	64	GOC70064AL	0.480	9,85 €	GOC70064BR	1.50	
GOC80	DN80	107	75	GOC80075AL	0.650	12,81 €	GOC80075BR	1.30	
GOC100	DN100	140	100	GOC100100AL	1.01		GOC100100BR		
Gost female thread / Nasada z gwintem wew. Gost 28352-89									
				AL 			BR 		
BOD Name	Size	ΦA	ΦB	BOD Code	Weight KG	Price	BOD Code	Weight KG	Price
GOAF50	DN50	78	G2"	GOF50050AL	0.195	3,44 €	GOF50050BR	0.88	
GOAF70	DN70	95	G2-1/2"	GOF70070AL	0.330	4,19 €	GOF70070BR	1.50	
GOAF80	DN80	107	G3"	GOF80080AL	0.410	5,37 €	GOF80080BR	1.30	
Gost Male Thread / Nasada z gwintem zew. Gost 28352-89									
				AL 			BR 		
BOD Name	Size	ΦA	ΦB	BOD Code	Weight KG	Price	BOD Code	WeightKG	Price
GOAM50	DN50	78	G2"	GOM50050AL	0.200	3,44 €	GOM50050BR	0.70	
GOAM70	DN70	95	G2-1/2"	GOM70070AL	0.500	4,19 €	GOM70070BR	1.50	
GOAM80	DN80	107	G3"	GOM80080AL	0.450	5,37 €	GOM80080BR	1.30	
Gost blind cap / Pokrywa Gost 28352-89									
				AL 			BR 		
BOD Name	Size	ΦA	ΦB	BOD Code	Weight KG	Price	BOD Code	Weight KG	Price
GOC50	DN50	78	/	GOC50050AL	0.260		GOC50050BR	1.00	
GOC70	DN70	95	/	GOC70070AL	0.600		GOC70070BR	1.5	
GOC80	DN80	107	/	GOC80080AL	0.270		GOC80080BR	1.98	



Fire Fighting Fitting
Rotta 3 Lugs

ROTTA hose coupling / Łącznik ssawny							 		
BOD Name	Size	ΦA	ΦB	BOD Code	Weight KG	Price	BOD Code	Weight KG	Price
ROTC50	DN50	68	52	ROC50052AL			ROC50052BR	0.68	15,60 €
ROTC50/64	DN50	68	64	ROC50064AL			ROC50064BR	0.72	17,88 €
ROTC70/75	DN70	85	75	ROC70075AL			ROC70075BR	1.10	
ROTC70/100	DN70	85	100	ROC70100AL			ROC70100BR	1.20	
ROTC70/64	DN70	85	64	ROC70064AL			ROC70064BR	1.30	
ROTTA Female Thread / Nasada z gwintem wew.							 		
BOD Name	Size	ΦA	ΦB	BOD Code	Weight KG	Price	BOD Code	Weight KG	Price
ROF50/40	DN50	68	G1-1/2"	ROFT50040AL			ROFT50040BR		10,82 €
ROF50/50	DN50	68	G2"	ROFT50050AL			ROFT50050BR		
ROF70/50	DN70	85	G2"	ROFT70050AL			ROFT70050BR		
ROF70/65	DN70	85	G2-1/2"	ROFT70065AL			ROFT70065BR		13,42 €
Rotta male Thread / Nasada z gwintemzew.							 		
BOD Name	Size	ΦA	ΦB	BOD Code	Weight KG	Price	BOD Code	Weight KG	Price
ROM50/40	DN50	68	G1-1/2"	ROMT50040AL			ROMT50040BR	0.5	10,82 €
ROM50/50	DN50	68	G2"	ROMT50050AL			ROMT50050BR		
ROM70/50	DN70	85	G2"	ROMT70050AL			ROMT70050BR	0.7	
ROM70/65	DN70	85	G2-1/2"	ROMT70065AL			ROMT70065BR	0.62	13,42 €
ROTTA blind cap / Pokrywa									
BOD Name	Size	ΦA	ΦB	BOD Code	Weight KG	Price	BOD Code	Weight KG	Price
ROC50	DN50	68	G2"	ROBC50068AL			ROBC50068BR		11,38 €
ROC70	Dn70	85	G2,5"	ROBC70065AL			ROBC70065BR		14,63 €





BODtech Sp. z o.o.
ul. Mszańska, 1a
44-304 Wodzisław Śląski

bodtech@bodtech.pl
tel. +48 503834570
skype: bodtech